Index

Volume 4 1977–1978

Abstracts, 72, 147, 216, 290
Adiseshan N.: *see* Pegg S. P.
β-adrenergic blocking agents, effects of, during septic–toxic phase of thermal injury, 118
Alho A.: *see* Asko-Seljavaara S.
And a baby was born, 285
Antia N. H., Srinivasan R., Mistry N., Mehta H. G. and Arora S.: Immunological studies in burns, 55
Antia N. H.: *see also* Arora S.
Antimicrobial agents, topical, to treat infected burn wounds, laboratory method for selection of, 177
Appelbaum J.: *see* Ben-Hur N.
Arora S. and Antia N. H.: Treatment of burns in a district hospital, 49
Arora S.: *see also* Antia N. H.
Arturson G., Hakelius L., Jacobsson S. and Rothman U.: New topical agent (Debrisan) for early treatment of burned hand, 225
Asko-Seljavaara S., Alho A., Sundell B. and Rytömaa T.: Heparin improves and α-blocker treatment possibly impairs host resistance in burns, 140
Autografts of increasing size, vascularization and healing in, 104

Baar S.: Red cell enzyme response to thermal injury, 207
Bailey B. N.: *see* Sully L.
Bartlett R. H.: *see* Thornton J. W.
Beathard G. A.: *see* Linares H. A.
Ben-Hur N., Shani J. and Appelbaum J.: Phosphorus burn in primates: conclusive experimental study of new specific therapy, 246
Bhatnagar S. K., Gupta J. L. and Srivastava J. L.: Role of central venous pressure monitoring in management of burn shock, 171
Bhattacharya V.: *see* Sinha J. K.
Billote J. B.: *see* Guthy E. A.
Birkhan J.: *see* Monies-Chass I.
Blister fluid, proteins in, 254
α-blocker treatment, possibly impairs host resistance in burns, 140
Blocking agents, beta-adrenergic, effects of, during septic–toxic phase of thermal injury, 118
Brčič A.: *see* Godina M.
Breast, female, burns of, long term study of, 267
British Burns Units, 297
Bronchoscopy, adjunct role of scintigraphy and, in early diagnosis of respiratory burns, 86
Brough M. D.: *see* Levick P. L.
Brown J. M.: Inhalation injury and progressive pulmonary insufficiency in a British burns unit, 32
Burke J. F.: *see* Guthy E. A.

Candida albicans, suppurative thrombophlebitis caused solely by, 133
Central venous pressure monitoring, role of, in management of burn shock, 171
Cerium sulphadiazine as topical agent for burn wound infection, comparison of, with silver sulphadiazine and zinc sulphadiazine, 233
Champagnie M. L.: And a baby was born, 285
Children, morphological changes of lymph nodes of, following acute thermal burns, 165
Cholinesterase deficiency in major burns, 123
Chowdhary M. D.: *see* Sinha J. K.
Cimorra G. A.: *see* Sanchez-Agreda M.
Clark G. M., Volenec F. J., Mani M. M., Robinson D. W. and Humphrey L. J.: Predicting survival of burned patients using discriminant function analysis, 81
Clark G. M.: *see also* Volenec F. J.
Clinical assessment of depth of burns, reliability of, 92
Collagen fibrin interactions, graft adherence to wound surfaces and, 23
Contractures, burn, paraffin and sustained stretching in treatment of, 136
Copper, zinc and iron contents in serum, studies of, in burned patients, 28

Davies D.: *see* Yiacoumettis A.
Debrisan, new topical agent for early treatment of burned hand, 225
Deep dermal and superficial burns, lyophilized pigskin in treatment of, 271
Depth of burn, diagnosis of, experimental study for, 97
of burns, reliability of clinical assessment of, 92
Derganc M.: *see* Godina M.
Diagnosis of burn depth, experimental study for, 97

Lymphocytes, T and B, peripheral blood, in patients with burns: sequential rosette analyses considering burn severity and pseudomonas sepsis, 7
T and B, peripheral blood, in patients with burns: test parameters and clinical evaluation of rosette analysis, 1
Lyophilized pigskin in treatment of superficial and deep dermal burns, 271

Maceration applied to burns, 160
MacMillan B. G.: *see* Nathan P.
Mani M. M.: *see* Clark G. M.; Volenec F. J.
Mariona M.: *see* Sanchez-Agreda M.
Mechanical injuries, burns associated with, 197
Mehta H. G.: *see* Antia N. H.
Methaemoglobinaemia resulting from absorption of 4 per cent Sulfamylon acetate gel, 143
Milling M. A. P.: Scalds from motor vehicle cooling systems, 145
Mistry N.: *see* Antia N. H.
Modak S. M.: *see* Fox C. A.
Monies-Chass I., Simon K., Sternman P., Birkhan J. and Hirshowitz B.: Methaemoglobinaemia resulting from the absorption of 4 per cent Sulfalmyon acetate gel, 143
Morphological changes of lymph nodes of children following acute thermal burns, 165
Motor vehicle cooling systems, scalds from, 145
Murphy D. F.: *see* Nathan P.

Nathan P., Law E. J., Murphy D. F. and MacMillan B. G.: Laboratory method for selection of topical antimicrobial agents to treat infected burn wounds, 177
Novák J., Papp T. and Záborszky Z.: Burns associated with mechanical injuries, 197
Novák J.: *see also* Szabó K.
Nystatin, new method for oral administration of, in paediatric burn patients, 287

Occlusive dressings and gloves, comparison of, in treatment of second-degree burns of hand, 20
Oedema, post-burn, new pathophysiological mechanism explaining, 153
thermal, reduction of, with Venalot, 157
Opportunistic phycomycosis in burn patients: report of two cases requiring amputation of left arm, 129
Overgaard-Nielsen H.: *see* Frandsen P. A.

Paediatric burn patients, new method of oral administration of nystatin in, 287
Papp T.: *see* Novák J.
Paraffin and sustained stretching in treatment of burn contractures, 136
Pathophysiological mechanism, new, explaining post-burn oedema, 153
Pegg S. P., Hinckley V. M. and Adiseshan N.: Adjunct role of scintigraphy and bronchoscopy in early diagnosis of respiratory burns, 86
Phosphorus burn in primates, conclusive experimental study of new specific therapy for, 246
Phycomycosis, opportunistic, in burn patients: report of two cases requiring amputation of left arm, 129
Pigskin, lyophilized, in treatment of superficial and deep dermal burns, 271
Pirkle H.: *see* Thornton J. W.
Porcine xenograft dressings, clinical evaluation of, 188
Proteins in blister fluid, 254
Pseudomonas sepsis, burn severity and, sequential rosette analyses of peripheral blood T and B lymphocytes considering, 7
Pulmonary insufficiency, progressive, inhalation injury and, in British burns unit, 32

Rangabashyan N.: Early management of burns, 52
Rao D. D.: Hypernatraemia: cause of death in burn patients, 277
Red cell enzyme response to thermal injury, 207
References to Articles, 78, 150, 221, 294
Reinarz J. A.: *see* Feinstein R.
Resistance to infection, index for estimating, in patients with burns, 240
Respiratory burns, adjunct role of scintigraphy and bronchoscopy in early diagnosis of, 86
Reviews
Burns of the Upper Extremity (R. E. Salisbury and B. A. Pruitt), 223
Children, the Environment and Accidents (D. MacG. Jackson), 80
Microvascular Reconstructive Surgery (R. A. W. McDowall), 223
Robinson D. W.: *see* Clark G. M.; Volenec F. J.
Robson M. C.: *see* Edstrom L. E.; Eriksson E.
Roe E. A. and Jones R. J.: Index for estimating resistance to infection in patients with burns, 277
Rothman U.: *see* Arturson G.
Rudowski W. J.: Introduction to Symposium on the Treatment of Burns, 44
Rudowski W. J.: Summing up to Symposium on the Treatment of Burns, 67
Rytömaa T.: *see* Asko-Seljavaara S.

Sanchez-Agreda M., Cimorra G. A., Mariona M. and Garcia-Jalón A.: Trace elements in burned patients: studies of zinc, copper and iron contents in serum, 28
Scalds from motor vehicle cooling systems, 145
Scintigraphy, adjunct role of bronchoscopy and, in early diagnosis of respiratory burns, 86
Septic–toxic phase of thermal injury, effects of beta-adrenergic blocking agents during, 118
Shakespeare P. G., Vaitheespara R. B. and Levick P. L.: Proteins in blister fluid, 254
Shani J.: *see* Ben-Hur N.
Shetlar C. L.: *see* Shetlar M. R.
Shetlar M. R., Shetlar C. L. and Linares H. A.: The hypertrophic scar: location and glycosaminoglycans within scars, 14

Discriminant function analysis, predicting survival of burned patients using, 81
District hospital, treatment of burns in, 49
Dogo G.: Maceration applied to burns, 160

Early management of burns, 52
Edstrom L. E., Robson M. C. and Headley B. J.: Evaluation of exercise techniques in the burn patient, 113
Electrical burns: review of 80 cases, 261
Eriksson E. and Robson M. C.: New pathophysiological mechanism explaining post-burn oedema, 153
Excision of burns, 61
Exercise techniques, evaluation of, in burn patient, 113

Fibrin collagen interactions, graft adherence to wound surfaces and, 23
First aid and transport of burned patient with reference to Indian conditions, 46
Feinstein R., Thomson P. D. and Reinarz J. A.: New method for oral administration of nystatin in paediatric burn patients, 287
Female breast, burns of, long term study of, 267
Fox C. L., Modak S. M. and Stanford J. W.: Cerium sulphadiazine as a topical agent for burn wound infection: comparison with silver sulphadiazine and zinc sulphadiazine, 233
Frandsen P. A., Overgaard-Nielsen H. and Sommer J.: Treatment of second-degree burns of hand: comparison of occlusive dressings and gloves, 20
Frolich S.: Serum cholinesterase deficiency in major burns, 123
Full-thickness burns, treatment of, with Travase: results of clinical trial, 281

Garcia-Jalón A.: *see* Sanchez-Agreda M.
Gloves, comparison of occlusive dressings and, in treatment of second-degree burns of hand, 20
Glycosaminoglycans, location of, within scars, hypertrophic scar and, 14
Godina M., Derganc M. and Brčič A.: Reliability of clinical assessment of depth of burns, 92
Graft adherence to wound surfaces, collagen fibrin interactions and, 23
Gupta J. L.: *see* Bhatnagar S. K.
Gürsu K. G.: Experimental study for diagnosis of burn depth, 97
Guthy E. A., Billote J. B. and Burke J. F.: Skin as an organ transplant: vascularization and healing in autografts of increasing size, 104

Hakelius L.: *see* Arturson G.
Hand, burned, new topical agent (Debrisan) for early treatment of, 225
Hand, second-degree burns of, comparison of occlusive dressings and gloves in treatment of, 20
Harney J. H.: *see* Thornton J. W.
Head M. D. and Helm P. A.: Paraffin and sustained stretching in treatment of burn contractures, 136
Headley B. J.: *see* Edstrom L. E.
Helm P. A.: *see* Head M. D.
Heparin improves host resistance in burns, 140
Hinckley V. M.: *see* Pegg S. P.
Hirshowitz B.: *see* Monies-Chass I.
Hobby J. A. E. and Levick P. L.: Clinical evaluation of porcine xenograft dressings, 188
Hobby J. A. E.: *see also* Trott J. A.
Host resistance in burns, heparin improves and α-blocker treatment possibly impairs, 140
Humphrey L. J.: *see* Clark G. M.; Volenec F. J.
Hypernatraemia as cause of death in burn patients, 277
Hypertrophic scar and location of glycosaminoglycans within scars, 14

Immunological studies in burns, 55
Index for estimating resistance to infection in patients with burns, 240
Infected burn wounds, topical antimicrobial agents to treat, laboratory method for selection of, 177
Infection, index for estimating resistance to, in patients with burns, 240
Inhalation injury and progressive pulmonary insufficiency in British burns unit, 32
Iron zinc and copper in serum studies of, in burned patients, 28

Jacobsson S.: *see* Arturson G.
Janžekovič Z.: Excision of burns, 61
Jones R. J.: *see* Roe E. A.

Karp M. P.: *see* Stadler J.
Keswani M. H.: First aid and transport of the burned patient with reference to Indian conditions, 46
Khanna N. N.: *see* Sinha J. K.

Laing J. E.: *see* Levick P. L.
Larson D. L.: *see* Linares H. A.
Law E. J.: *see* Nathan P.
Levenson S. M.: *see* Stadler J.
Levick P. L., Brough M. D., Vasilescu C. T. and Laing J. E.: Treatment of full-thickness burns with Travase: results of clinical trial, 281
Levick P. L.: *see also* Hobby J. A. E.; Shakespeare P. G.
Linares H. A., Beathard G. A. and Larson D. L.: Morphological changes of lymph nodes of children following acute thermal burns, 165
Linares H. A. and Larson D. L.: Opportunistic phycomycosis in burn patients: report of two cases requiring amputation of left arm, 129
Linares H. A.: *see also* Shetlar M. R.
Lymph nodes of children, morphological changes of, following acute thermal burns, 165

Shock, burn, role of central venous pressure monitoring in management of, 171
Simon K.: *see* Monies-Chass I.
Sinha J. K., Khanna N. N., Tripathi F. M., Bhattacharya V. and Chowdhary M. D.: Electrical burns: review of 80 cases, 261
Skin as organ transplant: vascularization and healing in autografts of increasing size, 104
Šmahel J.: Reduction of thermal oedema, 157
Sommer J.: *see* Frandsen P. A.
Srinivasan R.: *see* Antia N. H.
Srivastava J. L.: *see* Bhatnagar S. K.
Stadler J., Karp M. P., Stein J. M., Stein E. and Levenson S. M.: Suppurative thrombophlebitis caused solely by *Candida albicans*, 133
Stanford J. W.: *see* Fox C. A.
Stein E.: *see* Stadler J.
Stein J. M.: *see* Stadler J.
Sternman P.: *see* Monies-Chass I.
Stretching, sustained, paraffin and, in treatment of burn contractures, 136
Sulfamylon acetate gel, 4 per cent, methaemoglobinaemia resulting from asbsorption of, 143
Sully L. and Bailey B. N.: Lyophilized pigskin in treatment of superficial and deep dermal burns, 271
Sundell B.: *see* Asko-Seljavaara S.
Superex bandages in burns unit, use of, 193
Superficial and deep dermal burns, lyophilized pigskin in treatment of, 271
Suppurative thrombophlebitis caused solely by *Candida albicans*, 133
Survival of burned patients, prediction of, using discriminant function analysis, 81
Szabó K. and Novák J.: Effects of beta-adrenergic blocking agents during the septic–toxic phase of thermal injury, 118

Tavis M. J.: *see* Thornton J. W.
Thomson P. D.: *see* Feinstein R.
Thornton J. W., Tavis M. J., Harney J. H., Pirkle H., Bartlett R. H. and Woodroof E. A.: Graft adherence to wound surfaces: collagen fibrin interactions, 23
Thrombophlebitis, suppurative, caused solely by *Candida albicans*, 133
Topical agents for burn wound infection, comparison of cerium sulphadiazine as, with silver sulphadiazine and zinc sulphadiazine, 233
agent, new (Debrisan), for early treatment of burned hand, 271
antimicrobial agents to treat infected burn wounds, laboratory method for selection of, 177
Trace elements in burned patients: studies of zinc, copper and iron contents in serum, 28
Transport, first aid and, of burned patient, with reference to Indian conditions, 46
Travase, treatment of full-thickness burns with: results of clinical trial, 281
Treatment of Burns, Proceedings of a Symposium presented by the International Federation of Surgical Colleges, 44–71
Tripathi F. M.: *see* Sinha J. K.
Trott J. A. and Hobby J. A. E.: Burns of female breast: long term study, 267

Vaitheespara R. B.: *see* Shakespeare P. G.
Vascularization and healing in autografts of increasing size, 104
Vasilescu C. T.: *see* Levick P. L.
Venalot, reduction of thermal oedema with, 157
Volenec F. J., Mani M. M., Clark G. M., Robinson D. W. and Humphrey L. J.: Peripheral blood T and B lymphocytes in patients with burns. I. Test parameters and clinical evaluation of rosette assays, 1
Volenec F. J., Mani M. M., Clark G. M., Robinson D. W. and Humphrey L. J.: Peripheral T and B lymphocytes in patients with burns. II. Sequential rosette analyses considering burn severity and pseudomonas sepsis, 7
Volenec F. J.: *see also* Clark G. M.

Woodroof E. A.: *see* Thornton J. W.
Wound(s), infected burn, laboratory method for selection of topical antimicrobial agents to treat, 177
surfaces, graft adherence to, collagen fibrin interactions and, 23

Xenograft dressings, porcine, clinical evaluation of, 188

Yiacoumettis A. and Davies D.: Use of Superex bandages in a burns unit, 193

Záborszky Z.: *see* Novák J.
Zinc, copper and iron contents in serum, studies of, in burned patients, 28